




SYNERGY TELECOM PVT. LTD.



MANUFACTURERS OF
CONNECTORS & ACCESSORIES
FOR
ELECTRONIC / ELECTRICAL INSTRUMENTS



NEW ARRIVALS


SHROUDED SOCKETS



Product Details:

- Colour - Red/Black/Blue/Green/Yellow
- Insulation - ABS
- Material - Brass Nickel Plated
- Pin Size - 4mm
- Current Capacity - 20A


MINI CROCODILE CLIP



Product Details:

- Colour - Red/Black/Blue/Green/Yellow
- Insulation - Insulating Paste Resin
- Material - Iron Nickel Plated
- Current Capacity - 5A


TERMINALS



Product Details:

- Colour - Red/Black/Blue/Green/Yellow
- Insulation - ABS
- Material - Brass Nickel Plated
- Pin Size - 2mm
- Current Capacity - 5A


CROCODILE CLIP



Product Details:


- Colour - Red/Black/Blue/Green/Yellow
- Insulation - ABS
- Material - Iron Nickel Plated
- Current Capacity - 10A

TERMINALS



Product Details:


- Colour - Red/Black/Blue/Green/Yellow
- Insulation - ABS
- Material - Brass Nickel Plated
- Pin Size - 4mm
- Current Capacity - 5A



Product Details:


- Colour - Red/Black/Blue/Green/Yellow
- Insulation - ABS
- Material - Brass Nickel Plated
- Pin Size - 4mm
- Current Capacity - 5A

Shrouded Patch Cords



Product Details:

- Type - 4mm Insulated
- Length - 300 to 1500mm or on request
- Plug - HD
- Pin - Nickel Plated Spring Loaded Brass
- Current - 10A
- Capacity



2mm Double Point (Moulded Patch Cords)



Product Details:

- Type - 2mm Moulded
- Length - 300 to 1500mm or on request
- Plug - HD
- Pin - Nickel Plated Spring Loaded Brass
- Current - 10A
- Capacity



4mm Single Point (Moulded Patch Cords)



Product Details:

- Type - 4mm Single Point
- Length - 300 to 1500mm or on request
- Plug - HD
- Pin - Nickel Plated Spring Loaded Brass
- Current - 10A
- Capacity



4mm Gun Type (Moulded Patch Cords)



Product Details:

- Type - 4mm Gun Type
- Length - 300 to 1500mm or on request
- Plug - HD
- Pin - Nickel Plated Spring Loaded Brass
- Current - 10A
- Capacity



Crocodile Patch Cords



Product Details:

- Type - Crocodile to Crocodile
- Length - 300 to 1500mm or on request
- Plug - HD
- Pin - Nickel Plated
- Current - 10A
- Capacity



Shrouded Patch Cord



Product Details:

- Type - 4mm Insulated
- Length - 300 to 1500mm or on request
- Plug - ABS Plastic
- Pin - Nickel Plated Spring Loaded Brass
- Current Capacity - 10Amps Max.
- Flexible and Rewireable




4mm Double Point to Crocodile Patch Cords



Product Details:

- Type - 4mm DP to CR
- Length - 300 to 1500mm or on request
- Plug - ABS Plastic
- Pin - Nickel Plated Spring Loaded Brass
- Current Capacity - 10Amps Max.
- Flexible and Rewireable



Multimeter Test Probe



Product Details:

- Type - Multimeter Test Probe
- Length - 900mm
- Plug - ABS Plastic
- Pin - Nickel Plated Spring Loaded Brass
- Current Capacity - 10Amps Max.
- Flexible and Rewireable



4mm Insulated Crocodile (Banana Patch Cord)



Product Details:

- Type - 4mm Insulated CR
- Length - 300 to 1500mm or on request
- Plug - ABS Plastic
- Pin - Nickel Plated Spring Loaded Brass
- Current Capacity - 10Amps Max.
- Flexible and Rewireable



Multimeter Patch Cord




Product Details:

- Type - Multimeter Lead
- Length - 300 to 1500mm or on request
- Plug - ABS Plastic
- Pin - Nickel Plated Spring Loaded Brass
- Current Capacity - 10Amps Max.
- Flexible and Rewireable



SOCKETS





Product Specifications:

- Colour - Red/Black/Blue/Green/Yellow
- Insulation - ABS
- Material - Brass Nickel Plated
- Pin Size - 2mm
- Current Capacity - 5A

Product Specifications:

- Colour - Red/Black/Blue/Green/Yellow
- Insulation - ABS
- Material - Brass Nickel Plated
- Pin Size - 4mm
- Current Capacity - 10A

TERMINALS



Product Specifications:



- Colour - Red/Black/Blue/Green/Yellow
- Insulation - ABS
- Material - Brass Nickel Plated
- Pin Size - 4mm
- Current Capacity - 15A

Product Specifications :

- Colour - Red/Black/Blue/Green/Yellow
- Insulation - ABS
- Material - Brass Nickel Plated
- Pin Size - 4mm
- Current Capacity - 30A

2MM SINGLE POINT PLUG & 2MM DOUBLE POINT PLUG

4MM SINGLE POINT PLUG & 4MM DOUBLE POINT PLUG




Product Specifications:

- Colour - Red/Black
- Insulation - ABS
- Material - Brass Nickel Plated
- Pin Size - 2mm
- Current Capacity - 5A

Product Specifications :

- Colour - Red/Black
- Insulation - ABS
- Material - Brass Nickel Plated
- Pin Size - 4mm
- Current Capacity - 15A

2mm Single Point (Banana Patch Cord)



Product Details:

- Type - 2mm Single Point
- Length - 300 to 1500mm or on request
- Plug - ABS Plastic
- Pin - Nickel Plated Spring Loaded Brass
- Current Capacity - 5Amps Max.
- Flexible and Rewireable



2mm Double Point (Banana Patch Cord)



Product Details:

- Type - 2mm Stackable
- Length - 300 to 1500mm or on request
- Plug - ABS Plastic
- Pin - Nickel Plated Spring Loaded Brass
- Current Capacity - 5Amps Max.
- Flexible and Rewireable



4mm Single Point (Banana Patch Cord)



Product Details:

- Type - 4mm Single Point
- Length - 300 to 1500mm or on request
- Plug - ABS Plastic
- Pin - Nickel Plated Spring Loaded Brass
- Current Capacity - 15Amps Max.
- Flexible and Rewireable



4mm Double Point (Banana Patch Cord)




Product Details:

- Type - 4mm Stackable
- Length - 300 to 1500mm or on request
- Plug - ABS Plastic
- Pin - Nickel Plated Spring Loaded Brass
- Current Capacity - 15Amps Max.
- Flexible and Rewireable



Patch Cord for Bread Board




Product Details:

- Type - 1mm to 1mm Single Point
- 1mm to 2mm Single / Double Point
- 1mm to 4mm Single / Double Point
- Length - 300 to 1500mm or on request
- Plug - ABS Plastic
- Pin - Nickel Plated
- Current Capacity - 5Amp Max.
- Flexible and Rewireable




SOCKETS



Product Details:




- Colour - Red/Black/Blue/Green/Yellow
- Insulation - ABS
- Material - Brass Nickel Plated
- Pin Size - 4mm
- Current Capacity - 5A

SPADE TERMINALS



Product Details:

- Colour - Red/Black/Blue/Green/Yellow
- Insulation - ABS
- Material - Brass Nickel Plated
- Current Capacity - 10A



BNC to Crocodile Cable With Amplification of (1x&10x)



Product Details:

- Type - BNC to CR Amplification
- Length - 300 to 1500mm or on request
- Plug - ABS Plastic
- Pin - Nickel Plated Spring Loaded Brass
- Current Capacity - 10Amps Max.
- Flexible and Rewireable





SYNERGY TELECOM PVT. LTD.

THE 5 PILLARS ON WHICH OUR COMPANY OPERATES



VALUE FOR PEOPLE



INNOVATION



SAFETY



TEAMWORK



CUSTOMER SATISFACTION



THINK FOR CUSTOMER



INNOVATION



LOOK AHEAD



WINNING WITH INTEGRITY



ONE TEAM



FEEDBACK

Registered Address

Work Address

