



N Female to N Female Adaptor :-

Description □	RF Connector
Type □	N-KK
Note □	N Female to N Female



Impedance	50Ω
Withstanding voltage AC □V/min □	≥2500V
V SWR	(0~2.2GHz) ≤1.08
	(0~3GHz) ≤1.10
Insertion loss (dB)	≤0.1 at 3GHz
PIM3 @2x20W	≤-158dBc
Water-proof	IP67
Durability	500 Cycles



SYNERGY TELECOM (P) LTD.

13-15, RPS Flats, E-Block, Vileca Park, New Delhi - 110 018 (INDIA)
 Phone: +91-11-28533349 Fax: +91-11-28534435 Mobile: +91-9810138894
 Email: pradeep@rfconnectorhouse.com, MSN: pradeep.growal@synergy7@hotmail.com
 PRINCIPAL SITE: <http://www.vilncom.info> Skype Account: pradeepag
 My trademanager ID: synergytelecom www.rfconnectors.info

pdfMachine - is a pdf writer that produces quality PDF files with ease!
Get yours now!
 "Thank you very much! I can use Acrobat Distiller or the Acrobat PDFWriter but I consider your product a lot easier to use and much preferable to Adobe's" A.Sarras - USA



N Male to N Male Adaptor :-

Description □	RF Connector
Type □	N-JJ
Note □	N Male to N Male



Impedance	50Ω
Withstanding voltage AC □V/min □	≥2500V
V SWR	(0~2.2GHz) ≤1.08
	(0~3GHz) ≤1.10
Insertion loss (dB)	≤0.1 at 3GHz
PIM3 @2x20W	≤-158dBc
Water-proof	IP67
Durability	500 Cycles



SYNERGY TELECOM (P) LTD.
 B-15, RPS Flats, E-Block, Vileca Park, New Delhi - 110 016 (INDIA)
 Phone: +91-11-26533349 Fax: +91-11-26534435 Mobile: +91-9810138894
 Email: pradeep@rfconnectorhouse.com, MSN: pradeepgrowal@synergy7@hotmail.com
 PRINCIPAL SITE: <http://www.vltn.com.info> Skype Account: pradeepag
 My trademarker ID: synergytelecom www.rfconnector.info

pdfMachine - is a pdf writer that produces quality PDF files with ease!
Get yours now!
 "Thank you very much! I can use Acrobat Distiller or the Acrobat PDFWriter but I consider your product a lot easier to use and much preferable to Adobe's" A.Sarras - USA



N Male to N Female Right angle Adaptor :-

Description □	RF Connector
Type □	N-JKW
Note □	N Male to N Female Right angle



Impedance	50Ω
Withstanding voltage AC □V/min □	≥2500V
V SWR	(0~2.2GHz) ≤1.08
	(0~3GHz) ≤1.10
Insertion loss (dB)	≤0.1 at 3GHz
PIM3 @2x20W	≤-158dBc
Water-proof	IP67
Durability	500 Cycles



SYNERGY TELECOM (P) LTD.
 B-15, RPS Flats, E-Block, Vileca Park, New Delhi - 110 018 (INDIA)
 Phone: +91-11-26533349 Fax: +91-11-26533335 Mobile: +91-9810336024
 Email: pradeep@rfconnectorhouse.com, MSN: pradeepgrowslsn@yahoo.com
 PRINCIPAL SITE: <http://www.virtcom.info> Skype Account: pradeepag
 My trademark ID: synergytelecom www.rfconnectors.info

pdfMachine - is a pdf writer that produces quality PDF files with ease!
Get yours now!
 "Thank you very much! I can use Acrobat Distiller or the Acrobat PDFWriter but I consider your product a lot easier to use and much preferable to Adobe's" A.Sarras - USA



N Male to N Female Adaptor :-

Description □	RF Connector
Type □	N-JK
Note □	N Male to N Female



Impedance	50Ω
Withstanding voltage AC □V/min □	≥2500V
V SWR	(0~2.2GHz) ≤1.08
	(0~3GHz) ≤1.10
Insertion loss (dB)	≤0.1 at 3GHz
PIM3 @2x20W	≤-158dBc
Water-proof	IP67
Durability	500 Cycles



SYNERGY TELECOM (P) LTD.

13-15, RP's Flat, E-Block, Vihar Puri, New Delhi - 110 016 (INDIA)
 Phone: +91-11-28533349, Fax: +91-11-28531435, Mobile: +91-9810138894
 Email: pradeep@rfconnectorhouse.com, MSN: pradeepgrows@synergy@hotmail.com
 PRINCIPAL SITE: <http://www.viharn.com/info> Skype Account: pradeepg
 My trademanager ID: synergytelecom www.rfconnectors.info

pdfMachine - is a pdf writer that produces quality PDF files with ease!
Get yours now!
 "Thank you very much! I can use Acrobat Distiller or the Acrobat PDFWriter but I consider your product a lot easier to use and much preferable to Adobe's" A.Sarras - USA



DIN Male to N Female Adaptor :-

Description □	RF Connector
Type □	DIN-J N-K
Note □	DIN Male to N Female



Impedance	50Ω
Withstanding voltage AC □V/min □	≥2500V
V SWR	(0~2.2GHz) ≤1.08
	(0~3GHz) ≤1.10
Insertion loss (dB)	≤0.1 at 3GHz
PIM3 @2x20W	≤-158dBc
Water-proof	IP67
Durability	500 Cycles



SYNERGY TELECOM (P) LTD.
 13-15, RP's Flat, E-Block, Vikas Puri, New Delhi - 110 016 (INDIA)
 Phone: +91-11-28533349, Fax: +91-11-28531435, Mobile: +91-9810138894
 Email: pradeep@rfconnectorhouse.com, MSN: pradeepgrowsynergy@hotmail.com
 PRINCIPAL SITE: <http://www.vitns.com.info> Skype Account: pradeepag
 My trademanager ID: synergytelecom www.rfconnectors.info

pdfMachine - is a pdf writer that produces quality PDF files with ease!
Get yours now!
 "Thank you very much! I can use Acrobat Distiller or the Acrobat PDFWriter but I consider your product a lot easier to use and much preferable to Adobe's" A.Sarras - USA



N Female to DIN Female Adaptor :-

Description	RF Connector
Type	N K – DIN K
Note	DIN Female to N Female



Impedance	50Ω
Withstanding voltage AC□V/min□	≥2500V
V SWR	(0~2.2GHz)≤1.08
	(0~3GHz) ≤1.10
Insertion loss (dB)	≤0.1 at 3GHz
PIM3 @2x20W	≤-158dBc
Water-proof	IP67
Durability	500 Cycles



SYNERGY TELECOM (P) LTD.

13-15, RP's Flat, E-Block, Vihar Puri, New Delhi - 110 016 (INDIA)
 Phone: +91-11-28533349, Fax: +91-11-28534435, Mobile: +91-9810138894
 Email: pradeep@rfconnectorhouse.com, MSN: pradeepgrowsynergy@hotmail.com
 PRINCIPAL SITE: <http://www.viharcn.com> Skype Account: pradeepag
 My trademanager ID: synergytelecom www.rfconnectors.info

pdfMachine - is a pdf writer that produces quality PDF files with ease!
Get yours now!
 "Thank you very much! I can use Acrobat Distiller or the Acrobat PDFWriter but I consider your product a lot easier to use and much preferable to Adobe's" A.Sarras - USA



N Male to DIN Female Adaptor :-

Description □	RF Connector
Type □	DIN-K N-J
Note □	DIN Female to N Male



Impedance	50Ω
Withstanding voltage AC □V/min □	≥2500V
V SWR	(0~2.2GHz) ≤1.08
	(0~3GHz) ≤1.10
Insertion loss (dB)	≤0.1 at 3GHz
PIM3 @2x20W	≤-158dBc
Water-proof	IP67
Durability	500 Cycles


SYNERGY TELECOM (P) LTD.
 13-15, RP's Flat, E-Block, Vikas Puri, New Delhi - 110 016 (INDIA)
 Phone: +91-11-28533349, Fax: +91-11-28534435, Mobile: +91-9810138894
 Email: pradeep@rfconnectorhouse.com, MSN: pradeepgrowsynergy@hotmail.com
 PRINCIPAL SITE: <http://www.vitns.com.info> Skype Account: pradeepag
 My trademanager ID: synergytelecom www.rfconnectors.info

pdfMachine - is a pdf writer that produces quality PDF files with ease!
Get yours now!
 "Thank you very much! I can use Acrobat Distiller or the Acrobat PDFWriter but I consider your product a lot easier to use and much preferable to Adobe's" A.Sarras - USA



N Male to DIN Male Adaptor :-

Description	RF Connector
Type	N J-DIN J
Note	DIN Male to N Male



Impedance	50Ω
Withstanding voltage AC□V/min□	≥2500V
V SWR	(0~2.2GHz)≤1.08
	(0~3GHz) ≤1.10
Insertion loss (dB)	≤0.1 at 3GHz
PIM3 @2x20W	≤-158dBc
Water-proof	IP67
Durability	500 Cycles


SYNERGY TELECOM (P) LTD.
 13-15, RP's Flat, E-Block, Vikas Puri, New Delhi - 110 016 (INDIA)
 Phone: +91-11-28533349, Fax: +91-11-28531435, Mobile: +91-9810138894
 Email: pradeep@rfconnectorhouse.com, MSN: pradeepgrows@synergy@hotmail.com
 PRINCIPAL SITE: <http://www.vitns.com.info> Skype Account: pradeepag
 My trademanager ID: synergytelecom www.rfconnectors.info

pdfMachine - is a pdf writer that produces quality PDF files with ease!
Get yours now!
 "Thank you very much! I can use Acrobat Distiller or the Acrobat PDFWriter but I consider your product a lot easier to use and much preferable to Adobe's" A.Sarras - USA



DIN Male to DIN Male Adaptor :-

Description	RF Connector
Type	DIN J-DIN J
Note	DIN Male to DIN Male



Impedance	50Ω
Withstanding voltage AC□V/min□	≥2500V
V SWR	(0~2.2GHz)≤1.08
	(0~3GHz) ≤1.10
Insertion loss (dB)	≤0.1 at 3GHz
PIM3 @2x20W	≤-158dBc
Water-proof	IP67
Durability	500 Cycles


SYNERGY TELECOM (P) LTD.
 13-15, RP's Flat, E-Block, Vikas Puri, New Delhi - 110 016 (INDIA)
 Phone: +91-11-28533349, Fax: +91-11-28534435, Mobile: +91-9810138894
 Email: pradeep@rfconnectorhouse.com, MSN: pradeep.growal@synergy@hotmail.com
 PRINCIPAL SITE: <http://www.vitns.com.info> Skype Account: pradeepag
 My trademanager ID: synergytelecom www.rfconnectors.info

pdfMachine - is a pdf writer that produces quality PDF files with ease!
Get yours now!
 "Thank you very much! I can use Acrobat Distiller or the Acrobat PDFWriter but I consider your product a lot easier to use and much preferable to Adobe's" A.Sarras - USA



DIN Female to DIN Female Adaptor :-

Description	RF Connector
Type	DIN K-DIN K
Note	DIN Female to DIN Female



Impedance	50Ω
Withstanding voltage AC□V/min□	≥2500V
V SWR	(0~2.2GHz)≤1.08
	(0~3GHz) ≤1.10
Insertion loss (dB)	≤0.1 at 3GHz
PIM3 @2x20W	≤-158dBc
Water-proof	IP67
Durability	500 Cycles



SYNERGY TELECOM (P) LTD.

13-15, RP's Flat, E-Block, Vihar Puri, New Delhi - 110 016 (INDIA)
 Phone: +91-11-28533349, Fax: +91-11-28534435, Mobile: +91-9810138894
 Email: pradeep@rfconnectorhouse.com, MSN: pradeepgrowsynergy@hotmail.com
 PRINCIPAL SITE: <http://www.viharn.com/info> Skype Account: pradeepag
 My trademanager ID: synergytelecom www.rfconnectors.info

pdfMachine - is a pdf writer that produces quality PDF files with ease!
Get yours now!
 "Thank you very much! I can use Acrobat Distiller or the Acrobat PDFWriter but I consider your product a lot easier to use and much preferable to Adobe's" A.Sarras - USA



N Female to TNC Male Adaptor :-

Description	RF Connector
Type	N K-TNC J
Note	N Female to TNC Male



Impedance	50Ω
Withstanding voltage AC□V/min□	≥2500V
V SWR	(0~2.2GHz)≤1.08
	(0~3GHz) ≤1.10
Insertion loss (dB)	≤0.1 at 3GHz
PIM3 @2x20W	≤-158dBc
Water-proof	IP67
Durability	500 Cycles



SYNERGY TELECOM (P) LTD.

13-15, RP's Flat, E-Block, Vikas Puri, New Delhi - 110 016 (INDIA)
 Phone: +91-11-28533349, Fax: +91-11-28534435, Mobile: +91-9810138894
 Email: pradeep@rfconnectorhouse.com, MSN: pradeepgrows@synergy@hotmail.com
 PRINCIPAL SITE: <http://www.vitns.com.info> Skype Account: pradeepag
 My trademanager ID: synergytelecom www.rfconnectors.info

pdfMachine - is a pdf writer that produces quality PDF files with ease!
Get yours now!
 "Thank you very much! I can use Acrobat Distiller or the Acrobat PDFWriter but I consider your product a lot easier to use and much preferable to Adobe's" A.Sarras - USA



N Male to TNC Male Adaptor :-

Description	RF Connector
Type	N J-TNC J
Note	N Male to TNC Male



Impedance	50Ω
Withstanding voltage AC□V/min□	≥2500V
V SWR	(0~2.2GHz)≤1.08
	(0~3GHz) ≤1.10
Insertion loss (dB)	≤0.1 at 3GHz
PIM3 @2x20W	≤-158dBc
Water-proof	IP67
Durability	500 Cycles


SYNERGY TELECOM (P) LTD.
 13-15, RP's Flat, E-Block, Vikas Pur, New Delhi - 110 016 (INDIA)
 Phone: +91-11-28533349, Fax: +91-11-28534435, Mobile: +91-9810138894
 Email: pradeep@rfconnectorhouse.com, MSN: pradeepgrowsynergy@hotmail.com
 PRINCIPAL SITE: <http://www.vitns.com.info> Skype Account: pradeepag
 My trademanager ID: synergytelecom www.rfconnectors.info

pdfMachine - is a pdf writer that produces quality PDF files with ease!
Get yours now!
 "Thank you very much! I can use Acrobat Distiller or the Acrobat PDFWriter but I consider your product a lot easier to use and much preferable to Adobe's" A.Sarras - USA



SMA Male to SMA Male Adaptor :-

Description	RF Connector
Type	SMA J-SMA J
Note	SMA Male to SMA Male



Impedance	50Ω
Withstanding voltage AC□V/min□	≥2500V
V SWR	(0~2.2GHz)≤1.08
	(0~3GHz) ≤1.10
Insertion loss (dB)	≤0.1 at 3GHz
PIM3 @2x20W	≤-158dBc
Water-proof	IP67
Durability	500 Cycles



SYNERGY TELECOM (P) LTD.

13-15, RP's Flat, E-Block, Vihar Puri, New Delhi - 110 016 (INDIA)
 Phone: +91-11-28533349, Fax: +91-11-28534435, Mobile: +91-9810138894
 Email: pradeep@rfconnectorhouse.com, MSN: pradeepgrowsynergy@hotmail.com
 PRINCIPAL SITE: <http://www.viharcn.com> Skype Account: pradeepag
 My trademanager ID: synergytelecom www.rfconnectors.info

pdfMachine - is a pdf writer that produces quality PDF files with ease!
Get yours now!
 "Thank you very much! I can use Acrobat Distiller or the Acrobat PDFWriter but I consider your product a lot easier to use and much preferable to Adobe's" A.Sarras - USA



SMA Female to SMA Female Adaptor :-

Description	RF Connector
Type	SMA K-SMA K
Note	SMA Female to SMA Female



Impedance	50Ω
Withstanding voltage AC□V/min□	≥2500V
V SWR	(0~2.2GHz)≤1.08
	(0~3GHz) ≤1.10
Insertion loss (dB)	≤0.1 at 3GHz
PIM3 @2x20W	≤-158dBc
Water-proof	IP67
Durability	500 Cycles


SYNERGY TELECOM (P) LTD.
 13-15, RP's Flat, E-Block, Vikas Puri, New Delhi - 110 016 (INDIA)
 Phone: +91-11-28533349, Fax: +91-11-28534435, Mobile: +91-9810138894
 Email: pradeep@rfconnectorhouse.com, MSN: pradeepgrowsynergy@hotmail.com
 PRINCIPAL SITE: <http://www.vitns.com.info> Skype Account: pradeepag
 My trademanager ID: synergytelecom www.rfconnectors.info

pdfMachine - is a pdf writer that produces quality PDF files with ease!
Get yours now!
 "Thank you very much! I can use Acrobat Distiller or the Acrobat PDFWriter but I consider your product a lot easier to use and much preferable to Adobe's" A.Sarras - USA



N Male to SMA Male / Female Adaptor:-

Description	RF Connector
Type	N Male –SMA Male / Female
Note	N Male to SMA Male / Female



Impedance	50Ω
Withstanding voltage AC□V/min□	≥2500V
V SWR	(0~2.2GHz)≤1.08
	(0~3GHz) ≤1.10
Insertion loss (dB)	≤0.1 at 3GHz
PIM3 @2x20W	≤-158dBc
Water-proof	IP67
Durability	500 Cycles



SYNERGY TELECOM (P) LTD.
 13-15, RPS Flats, E-Block, Vileca Park, New Delhi - 110 018 (INDIA)
 Phone: +91-11-29533349 Fax: +91-11-29534435 Mobile: +91-9810338954
 Email: pradeep@rfconnectorhouse.com, MSN: pradeepgrewal@synergy9@hotmail.com
 PRINCIPAL SITE: <http://www.sttcom.info> Skype Account: pradeepg
 My trademanager ID: synergytelecom www.rfconnector.info

pdfMachine - is a pdf writer that produces quality PDF files with ease!
Get yours now!
 "Thank you very much! I can use Acrobat Distiller or the Acrobat PDFWriter but I consider your product a lot easier to use and much preferable to Adobe's" A.Sarras - USA