



SMA Series Connector :-

SMA Connector Series

Performance Features

Nominal Impedance: 50Ω

Frequency Range: DC-27GHz

VSWR: DC-18GHz... 1.10:1 (Max)

18GHz-27GHz...1.15:1 (Max)

Maximum Power Handling:

Standard Model

150W at 125°C

High Power Model

250W at 125°C

160W at 165°C

Durability: 500 Cycles

Operating Temperature:

-50°C~+125°C Standard Model

-60°C~+165°C High Power Model


Interfaces:PER MIL-STD-348A

Materials/Finishes

Housing: Type 303 Stainless Steel - Polished & Passivated

Center Contact: Beryllium Copper Plated Gold

Insulators:PTFE



SMA Male (mm)		
LTR	MINIMUM	MAXIMUM
A	6.5	6.6
B	4	
C	2.5	
D	0.8	
E	2.97	3.28
F	3.48	3.52
G	0	0.198
H	0	0.178
I	0.920	0.934
J	2.09	2.15

SMA Female (mm)		
LTR	MINIMUM	MAXIMUM
A	5.324	5.400
B	4.60	4.63
C	0.8	0.9
D	1.25	1.28
E	0	0.178
F	0	0.198
G	1.855	1.993
H	5.3	



SYNERGY TELECOM (P) LTD.

13-15, RPS Flats, E-Block, Vilela Park, New Delhi - 110 018 (INDIA)

Phone: +91-11-28533349 Fax: +91-11-28531435 Mobile: +91-9810138894

Email: pradeep@rfconnectorhouse.com, MSN: pradeepagrowal@synergy@hotmail.com

PRINCIPAL SITE: <http://www.vlnncom.info> Skype Account: pradeepog

My trademarker ID: synergytelecom www.rfconnectors.info

pdfMachine



A pdf writer that produces quality PDF files with ease!

Produce quality PDF files in seconds and preserve the integrity of your original documents. Compatible across nearly all Windows platforms, if you can print from a windows application you can use pdfMachine.



Get yours now!





SMA Series Field Replaceable Flange Connectors

P/N (standard/ High Power)	D
D550S12F01	0.012 inch/0.30mm
D550S12F01H	0.012 inch/0.30mm
D550S15F01	0.015 inch/0.38mm
D550S15F01H	0.015 inch/0.38mm
D550S18F01	0.018 inch/0.46mm
D550S18F01H	0.018 inch/0.46mm
D550S20F01	0.020 inch/0.51mm
D550S20F01H	0.020 inch/0.51mm

P/N (standard/ High Power)	D
D550S12F02	0.012 inch/0.30mm
D550S12F02H	0.012 inch/0.30mm
D550S15F02	0.015 inch/0.38mm
D550S15F02H	0.015 inch/0.38mm
D550S18F02	0.018 inch/0.46mm
D550S18F02H	0.018 inch/0.46mm
D550S20F02	0.020 inch/0.51mm
D550S20F02H	0.020 inch/0.51mm







P/N (standard/ High Power)	D
D550S12F03	0.012 inch/0.30mm
D550S12F03H	0.012 inch/0.30mm
D550S15F03	0.015 inch/0.38mm
D550S15F03H	0.015 inch/0.38mm
D550S18F03	0.018 inch/0.46mm
D550S18F03H	0.018 inch/0.46mm
D550S20F03	0.020 inch/0.51mm
D550S20F03H	0.020 inch/0.51mm






SYNERGY TELECOM (P) LTD.
 13-15, RD5 Flats, E-Block, Vileca Park, New Delhi - 110 018 (INDIA)
 Phone: +91-11-28533349 Fax: +91-11-28531435 Mobile: +91-9810138894
 Email: pradeep@stconnectorhouse.com, MSN: pradeepgrows@synergy@hotmail.com
 PRINCIPAL SITE: <http://www.vitrn.com/info> Skype Account: pradeepag




pdfMachine
A pdf writer that produces quality PDF files with ease!
 Produce quality PDF files in seconds and preserve the integrity of your original documents. Compatible across nearly all Windows platforms, if you can print from a windows application you can use pdfMachine.
 Get yours now!




P/N (standard/ High Power)	D
D550S12F04	0.012inch/0.30mm
D550S12F04H	0.012inch/0.30mm
D550S15F04	0.015inch/0.38mm
D550S15F04H	0.015inch/0.38mm
D550S18F04	0.018inch/0.46mm
D550S18F04H	0.018inch/0.46mm
D550S20F04	0.020inch/0.51mm
D550S20F04H	0.020inch/0.51mm

P/N (standard/ High Power)	D
D550S12F05	0.012inch/0.30mm
D550S12F05H	0.012inch/0.30mm
D550S15F05	0.015inch/0.38mm
D550S15F05H	0.015inch/0.38mm
D550S18F05	0.018inch/0.46mm
D550S18F05H	0.018inch/0.46mm
D550S20F05	0.020inch/0.51mm
D550S20F05H	0.020inch/0.51mm

P/N (standard/ High Power)	D
D550S12F06	0.012inch/0.30mm
D550S12F06H	0.012inch/0.30mm
D550S15F06	0.015inch/0.38mm
D550S15F06H	0.015inch/0.38mm
D550S18F06	0.018inch/0.46mm
D550S18F06H	0.018inch/0.46mm
D550S20F06	0.020inch/0.51mm
D550S20F06H	0.020inch/0.51mm


P/N (standard/ High Power)	D
D550S12F07	0.012inch/0.30mm
D550S12F07H	0.012inch/0.30mm
D550S15F07	0.015inch/0.38mm
D550S15F07H	0.015inch/0.38mm
D550S18F07	0.018inch/0.46mm
D550S18F07H	0.018inch/0.46mm
D550S20F07	0.020inch/0.51mm
D550S20F07H	0.020inch/0.51mm




SYNERGY TELECOM (P) LTD.

13-15, RP5 Flats, E-Block, Vihar Puri, New Delhi - 110 018 (INDIA)
 Phone: +91-11-28533349 Fax: +91-11-28531435 Mobile: +91-9810138894
 Email: pradeep@rfconnectorhouse.com, M5N: pradeepagrowal@synergy@hotmail.com
 PRINCIPAL SITE: <http://www.vinncom.info> Skype Account: pradeepag
 My trademanager ID: synergyste.com www.rfconnectors.info


pdfMachine
A pdf writer that produces quality PDF files with ease!
 Produce quality PDF files in seconds and preserve the integrity of your original documents. Compatible across nearly all Windows platforms, if you can print from a windows application you can use pdfMachine.
 Get yours now!



P/N (standard/High Power)	D
D551S12F01	0.012 inch/0.30mm
D551S12F01H	0.012 inch/0.30mm
D551S15F01	0.015 inch/0.38mm
D551S15F01H	0.015 inch/0.38mm
D551S18F01	0.018 inch/0.46mm
D551S18F01H	0.018 inch/0.46mm
D551S20F01	0.020 inch/0.51mm
D551S20F01H	0.020 inch/0.51mm



P/N (standard/High Power)	D
D551S12F02	0.012 inch/0.30mm
D551S12F02H	0.012 inch/0.30mm
D551S15F02	0.015 inch/0.38mm
D551S15F02H	0.015 inch/0.38mm
D551S18F02	0.018 inch/0.46mm
D551S18F02H	0.018 inch/0.46mm
D551S20F02	0.020 inch/0.51mm
D551S20F02H	0.020 inch/0.51mm






P/N (standard/High Power)	D
D551S12F03	0.012 inch/0.30mm
D551S12F03H	0.012 inch/0.30mm
D551S15F03	0.015 inch/0.38mm
D551S15F03H	0.015 inch/0.38mm
D551S18F03	0.018 inch/0.46mm
D551S18F03H	0.018 inch/0.46mm
D551S20F03	0.020 inch/0.51mm
D551S20F03H	0.020 inch/0.51mm






SYNERGY TELECOM (P) LTD.

13-15, RP5 Flats, E-Block, Viena Park, New Delhi - 110 018 (INDIA)
 Phone: +91-11-28533349 Fax: +91-11-28531435 Mobile: +91-9810138894
 Email: pradeep@rfconnectorhouse.com, M5N: pradeepagrowal@synergy@hotmail.com
 PRINCIPAL SITE: http://www.vinncom.info Skype Account: pradeepag
 My trademanager ID: synergyste.com www.rfconnectors.info




pdfMachine
A pdf writer that produces quality PDF files with ease!
 Produce quality PDF files in seconds and preserve the integrity of your original documents. Compatible across nearly all Windows platforms, if you can print from a windows application you can use pdfMachine.
 Get yours now!

P/N (standard/High Power)	D
D551S12F04	0.012inch/0.30mm
D551S12F04H	0.012inch/0.30mm
D551S15F04	0.015inch/0.38mm
D551S15F04H	0.015inch/0.38mm
D551S18F04	0.018inch/0.46mm
D551S18F04H	0.018inch/0.46mm
D551S20F04	0.020inch/0.51mm
D551S20F04H	0.020inch/0.51mm

P/N (standard/High Power)	D
D551S12F05	0.012inch/0.30mm
D551S12F05H	0.012inch/0.30mm
D551S15F05	0.015inch/0.38mm
D551S15F05H	0.015inch/0.38mm
D551S18F05	0.018inch/0.46mm
D551S18F05H	0.018inch/0.46mm
D551S20F05	0.020inch/0.51mm
D551S20F05H	0.020inch/0.51mm

P/N (standard/High Power)	D
D551S12F06	0.012inch/0.30mm
D551S12F06H	0.012inch/0.30mm
D551S15F06	0.015inch/0.38mm
D551S15F06H	0.015inch/0.38mm
D551S18F06	0.018inch/0.46mm
D551S18F06H	0.018inch/0.46mm
D551S20F06	0.020inch/0.51mm
D551S20F06H	0.020inch/0.51mm




SYNERGY TELECOM (P) LTD.

13-15, RP5 Flats, E-Block, Vihar Pur, New Delhi - 110 018 (INDIA)
 Phone: +91-11-28533349 Fax: +91-11-28531435 Mobile: +91-9810138894
 Email: pradeep@rfconnectorhouse.com, M5N: pradeepgrows@synergy@hotmail.com
 PRINCIPAL SITE: http://www.vinncom.info Skype Account: pradeepag
 My trademanager ID: synergytelecom www.rfconnectors.info


pdfMachine
A pdf writer that produces quality PDF files with ease!
 Produce quality PDF files in seconds and preserve the integrity of your original documents. Compatible across nearly all Windows platforms, if you can print from a windows application you can use pdfMachine.
 Get yours now!



SMA Series Field Replaceable Thread-in Connectors



P/N	D
D550S12Y01	0.012 inch/0.30mm
D550S15Y01	0.015 inch/0.38mm
D550S18Y01	0.018 inch/0.46mm
D550S20Y01	0.020 inch/0.51mm



P/N	D
D550S12Y02	0.012 inch/0.30mm
D550S15Y02	0.015 inch/0.38mm
D550S18Y02	0.018 inch/0.46mm
D550S20Y02	0.020 inch/0.51mm



SYNERGY TELECOM (P) LTD.

B-15, RPS Flats, E-Block, Vasant Puri, New Delhi - 110 018 (INDIA)
 Phone: +91-11-28533349 Fax: +91-11-28531435 Mobile: +91-9810138694
 Email: pradeep@rfconnectorhouse.com, MSN: pradeepagrowal@synergy@hotmail.com
 PRINCIPAL SITE: <http://www.vinncom.info> Skype Account: pradeepag
 My trademanager ID: synergytelecom www.rfconnectors.info

pdfMachine


A pdf writer that produces quality PDF files with ease!

Produce quality PDF files in seconds and preserve the integrity of your original documents. Compatible across nearly all Windows platforms, if you can print from a windows application you can use pdfMachine.


Get yours now!




SMA Series Bulkhead Flange Connectors




P/N	A	a	B	b
D550M01F01	12.7	12.7	8.6	8.6
D550M01F02	9.5	9.5	6.35	6.35
D550M01F03	12.7	9.5	8.64	5.64



P/N	A	B
D550M01F04	15.8	12.2
D550M01F05	14	10.2
D550M01F06	12.7	8.9
D550M01F07	12.7	8.6



P/N	A	a	B	b
D550M02F01	12.7	12.7	8.6	8.6
D550M02F02	9.5	9.5	6.35	6.35
D550M02F03	12.7	9.5	8.64	5.64



P/N	A	B
D550M02F04	15.8	12.2
D550M02F05	14	10.2
D550M02F06	12.7	8.9
D550M02F07	12.7	8.6


SYNERGY TELECOM (P) LTD.
 13-15, RP5 Flats, E-Block, Vihar Puri, New Delhi - 110 018 (INDIA)
 Phone: +91-11-28533349 Fax: +91-11-28531435 Mobile: +91-9810138694
 Email: pradeep@rfconnectorhouse.com, MSN: pradeepgrows@synergy@hotmail.com
 PRINCIPAL SITE: <http://www.vinncom.info> Skype Account: pradeepag
 My trademark ID: synergytelecom www.rfconnectors.info

pdfMachine
A pdf writer that produces quality PDF files with ease!
 Produce quality PDF files in seconds and preserve the integrity of your original documents. Compatible across nearly all Windows platforms, if you can print from a windows application you can use pdfMachine. Get yours now!



P/N	A	a	B	b
D550P11F01	12.7	12.7	8.6	8.6
D550P11F02	9.5	9.5	6.35	6.35
D550P11F03	12.7	9.5	8.64	5.64

P/N	A	B
D550P11F04	15.8	12.2
D550P11F05	14	10.2
D550P11F06	12.7	8.9
D550P11F07	12.7	8.6



P/N	A	a	B	b
D550P12F01	12.7	12.7	8.6	8.6
D550P12F02	9.5	9.5	6.35	6.35
D550P12F03	12.7	9.5	8.64	5.64

P/N	A	B
D550P12F04	15.8	12.2
D550P12F05	14	10.2
D550P12F06	12.7	8.9
D550P12F07	12.7	8.6



SYNERGY TELECOM (P) LTD.
 13-15, RP5 Flats, E-Block, Vileca Park, New Delhi - 110 018 (INDIA)
 Phone: +91-11-28533349 Fax: +91-11-28531435 Mobile: +91-9810138894
 Email: pradeep@rfconnectorhouse.com, MSN: pradeepgrows@synergy@hotmail.com
 PRINCIPAL SITE: <http://www.vlrn.com/info> Skype Account: pradeepag
 My trademanager ID: synergytelecom www.rfconnectors.info

pdfMachine
A pdf writer that produces quality PDF files with ease!
 Produce quality PDF files in seconds and preserve the integrity of your original documents. Compatible across nearly all Windows platforms, if you can print from a windows application you can use pdfMachine.
 Get yours now!

SMA Series PCB Connectors



P/N D550BL1F01
Housing – Brass, gold plated




P/N D550BL1F02
Housing – Brass, gold plated


SYNERGY TELECOM (P) LTD.
 13-15, RP5 Flats, E-Block, Vileca Park, New Delhi - 110 018 (INDIA)
 Phone: +91-11-28533349 Fax: +91-11-28531435 Mobile: +91-9810138894
 Email: pradeep@rfconnectorhouse.com, MSN: pradeepagrowal@synergy@hotmail.com
 PRINCIPAL SITE: <http://www.vlrn.com/info> Skype Account: pradeepag
 My trademanager ID: synergytelecom www.rfconnectors.info

pdfMachine
A pdf writer that produces quality PDF files with ease!
 Produce quality PDF files in seconds and preserve the integrity of your original documents. Compatible across nearly all Windows platforms, if you can print from a windows application you can use pdfMachine.
 Get yours now!

SMA Series Bulkhead Thread-in Connectors



SYNERGY TELECOM (P) LTD.

13-15, RPS Flats, E-Block, Vileca Puri, New Delhi - 110 018 (INDIA)
 Phone: +91-11-28533349, Fax: +91-11-28531435, Mobile: +91-9810138894
 Email: pradeep@rfconnectorhouse.com, MSN:pradeepgrowalsynergy@hotmail.com
 PRINCIPAL SITE: <http://www.vinncom.info>, Skype Account: pradeepg
 My trademarker ID: synergytelecom, www.rfconnectors.info

pdfMachine

A pdf writer that produces quality PDF files with ease!

Produce quality PDF files in seconds and preserve the integrity of your original documents. Compatible across nearly all Windows platforms, if you can print from a windows application you can use pdfMachine.

Get yours now!

2.92mm Connector Series

Performance Features

Nominal Impedance: 50Ω

Frequency Range: DC-40GHz

VSWR: DC-40GHz.... 1.15:1 (Max)

Durability: 500 Cycles

Operating Temperature: -60°C ~ +165°C


Materials/Finishes

Housing: Type 303 Stainless Steel - Polished & Passivated

Center Contact: Beryllium Copper Plated Gold

Insulators: PEI

Interfaces: PER MIL-STD-348A



2.92mm Male (mm)		
LTR	MINIMUM	MAXIMUM
A	6.5	6.6
B	4	
C	0.8	
D	2.82	3.18
E	4.55	4.58
F	2.90	2.94
G	0	0.06
H	0.920	0.934
I	1.295	1.450

2.92mm Female (mm)		
LTR	MINIMUM	MAXIMUM
A	5.324	5.400
B	4.60	4.63
C	0.8	0.9
D	1.26	1.28
E	0	0.078
F	1.855	1.993



SYNERGY TELECOM (P) LTD.

13-15, RP5 Flats, E-Block, Vasant Puri, New Delhi - 110 018 (INDIA)

Phone: +91-11-28533349 Fax: +91-11-28531435 Mobile: +91-9810138894

Email: pradeep@rfconnectorhouse.com, M5N: pradeepagrowal@synergy@hotmail.com

PRINCIPAL SITE: <http://www.vinncom.info> Skype Account: pradeepag

My trademarker ID: synergytelecom www.rfconnectors.info




pdfMachine

A pdf writer that produces quality PDF files with ease!

Produce quality PDF files in seconds and preserve the integrity of your original documents. Compatible across nearly all Windows platforms, if you can print from a windows application you can use pdfMachine.

Get yours now!

2.92mm Series Field Replaceable Flange Connectors









SYNERGY TELECOM (P) LTD.

13-15, RP5 Flats, E-Block, Vasant Park, New Delhi - 110 018 (INDIA)
 Phone: +91-11-28533349 Fax: +91-11-28531435 Mobile: +91-9810138894
 Email: pradeep@rfconnectorhouse.com, MSN: pradeepagrowal@synergy@hotmail.com
 PRINCIPAL SITE: <http://www.vlncom.info> Skype Account: pradeepag
 My trademanager ID: synergytelecom www.rfconnectors.info



pdfMachine
A pdf writer that produces quality PDF files with ease!
 Produce quality PDF files in seconds and preserve the integrity of your original documents. Compatible across nearly all Windows platforms, if you can print from a windows application you can use pdfMachine.
 Get yours now!



P/N	D
D360S12F04	0.012 inch/0.30mm
D360S15F04	0.015 inch/0.38mm
D360S18F04	0.018 inch/0.46mm
D360S20F04	0.020 inch/0.51mm

P/N	D
D360S12F05	0.012 inch/0.30mm
D360S15F05	0.015 inch/0.38mm
D360S18F05	0.018 inch/0.46mm
D360S20F05	0.020 inch/0.51mm

P/N	D
D360S12F06	0.012 inch/0.30mm
D360S15F06	0.015 inch/0.38mm
D360S18F06	0.018 inch/0.46mm
D360S20F06	0.020 inch/0.51mm







P/N	D
D360S12F07	0.012 inch/0.30mm
D360S15F07	0.015 inch/0.38mm
D360S18F07	0.018 inch/0.46mm
D360S20F07	0.020 inch/0.51mm





SYNERGY TELECOM (P) LTD.
 13-15, RPS Flats, E-Block, Vileca Park, New Delhi - 110 018 (INDIA)
 Phone: +91-11-28533349 Fax: +91-11-28534435 Mobile: +91-981033894
 Email: pradeep@rfconnectorhouse.com, MSN: pradeepgrows@synergy@hotmail.com
 PRINCIPAL SITE: <http://www.stincom.info> Skype Account: pradeepag
 My trademanager ID: synergytelecom www.rfconnectors.info

pdfMachine
A pdf writer that produces quality PDF files with ease!
 Produce quality PDF files in seconds and preserve the integrity of your original documents. Compatible across nearly all Windows platforms, if you can print from a windows application you can use pdfMachine.
 Get yours now!






SYNERGY TELECOM (P) LTD.
 B-15, RPS Flats, E-Block, Vasant Puri, New Delhi - 110 018 (INDIA)
 Phone: +91-11-28533349 Fax: +91-11-28531435 Mobile: +91-9810138894
 Email: pradeep@rfconnectorhouse.com, MSN: pradeepagrowalsynergy@hotmail.com
 PRINCIPAL SITE: <http://www.vltn.com/info> Skype Account: pradeepag
 My trademarker ID: synergytelecom www.rfconnectors.info



pdfMachine
A pdf writer that produces quality PDF files with ease!
 Produce quality PDF files in seconds and preserve the integrity of your original documents. Compatible across nearly all Windows platforms, if you can print from a windows application you can use pdfMachine.
 Get yours now!



P/N	D
D361S12F04	0.012 inch/0.30mm
D361S15F04	0.015 inch/0.38mm
D361S18F04	0.018 inch/0.46mm
D361S20F04	0.020 inch/0.51mm



P/N	D
D361S12F05	0.012 inch/0.30mm
D361S15F05	0.015 inch/0.38mm
D361S18F05	0.018 inch/0.46mm
D361S20F05	0.020 inch/0.51mm



P/N	D
D361S12F06	0.012 inch/0.30mm
D361S15F06	0.015 inch/0.38mm
D361S18F06	0.018 inch/0.46mm
D361S20F06	0.020 inch/0.51mm



SYNERGY TELECOM (P) LTD.

B-15, RP5 Flats, E-Block, Vihar Puri, New Delhi - 110 018 (INDIA)
 Phone: +91-11-28533349 Fax: +91-11-28531435 Mobile: +91-981033894
 Email: praddeep@rfconnectorhouse.com, MSN: praddeepagrowal@synergy@hotmail.com
 PRINCIPAL SITE: <http://www.vlincom.info> Skype Account: praddeepag
 My trademanager ID: synergytelecom www.rfconnectors.info


pdfMachine

A pdf writer that produces quality PDF files with ease!

Produce quality PDF files in seconds and preserve the integrity of your original documents. Compatible across nearly all Windows platforms, if you can print from a windows application you can use pdfMachine.


Get yours now!

2.92mm Series Bulkhead Flange Connectors




P/N	A	a	B	b
D361TLXF01	12.7	12.7	8.6	8.6
D361TLXF02	9.5	9.5	6.35	6.35
D361TLXF03	12.7	9.5	8.64	5.64

Notes: D/L Customized




P/N	A	B
D361TLXF04	15.8	12.2
D361TLXF05	14	10.2
D361TLXF06	12.7	8.9

Notes: D/L Customized



P/N	A	a	B	b
D360TLXF01	12.7	12.7	8.6	8.6
D360TLXF02	9.5	9.5	6.35	6.35
D360TLXF03	12.7	9.5	8.64	5.64

Notes: D/L Customized



P/N	A	B
D360TLXF04	15.8	12.2
D360TLXF05	14	10.2
D360TLXF06	12.7	8.9

Notes: D/L Customized



SYNERGY TELECOM (P) LTD.

13-15, RPS Flats, E-Block, Vika Puri, New Delhi - 110 018 (INDIA)
 Phone: +91-11-28533349 Fax: +91-11-28531435 Mobile: +91-9810138894
 Email: pradeep@rfconnectorhouse.com, MSN: pradeepagrowal@synergy@hotmail.com
 PRINCIPAL SITE: <http://www.vinncom.info> Skype Account: pradeepag
 My trademanager ID: synergytelecom www.rfconnectors.info

pdfMachine

A pdf writer that produces quality PDF files with ease!

Produce quality PDF files in seconds and preserve the integrity of your original documents. Compatible across nearly all Windows platforms, if you can print from a windows application you can use pdfMachine.

Get yours now!



2.4mm Connector Series

Performance Features

Nominal Impedance: 50Ω

Frequency Range: DC-50GHz

VSWR: DC-50GHz.... 1.15:1 (Max)

Durability: 500 Cycles

Operating Temperature: -60°C~+165°C

Materials/Finishes


Housing: Type 303 Stainless Steel - Polished & Passivated

Center Contact: Beryllium Copper Plated Gold

Insulators: PEI

Interfaces: Per MIL-STD-348A

Interface Standards



2.4mm Male (mm)		
LTR	MINIMUM	MAXIMUM
A	7.05	7.15
B	4	
C	0.8	
D	1.7	1.9
E	4.725	4.750
F	2.385	2.415
G	0	0.055
H	0.49	0.51
I	1.032	1.052
J	1.305	1.45

2.4mm Female (mm)		
LTR	MINIMUM	MAXIMUM
A	5.7	5.9
B	4.770	4.795
C	1.4	1.6
D	1.12	1.14
E	0	0.055
F	3	3.08
G	6.4	



SYNERGY TELECOM (P) LTD.

13-15, RP5 Flats, E-Block, Vihar Puri, New Delhi - 110 018 (INDIA)
 Phone: +91-11-28533349 Fax: +91-11-28531435 Mobile: +91-9810138894
 Email: pradeep@rfconnectorhouse.com, MSN: pradeepagrowal@synergy@hotmail.com
 PRINCIPAL SITE: <http://www.vinncom.info> Skype Account: pradeepag
 My trademarker ID: synergytelecom www.rfconnectors.info




pdfMachine

A pdf writer that produces quality PDF files with ease!

Produce quality PDF files in seconds and preserve the integrity of your original documents. Compatible across nearly all Windows platforms, if you can print from a windows application you can use pdfMachine.

Get yours now!

2.4mm Series Field Replaceable Flange Connectors



SYNERGY TELECOM (P) LTD.



13-15, RP5 Flats, E-Block, Vileca Park, New Delhi - 110 018 (INDIA)
 Phone: +91-11-28533349 Fax: +91-11-28534435 Mobile: +91-981038894
 Email: pradeep@rfconnectorhouse.com, MSN: pradeepgrows@synergy@hotmail.com
 PRINCIPAL SITE: <http://www.vinncom.info> Skype Account: pradeepg
 My trademanager ID: synergytelecom www.rfconnectors.info

pdfMachine



A pdf writer that produces quality PDF files with ease!

Produce quality PDF files in seconds and preserve the integrity of your original documents. Compatible across nearly all Windows platforms, if you can print from a windows application you can use pdfMachine.



Get yours now!





P/N	D
D370S12F04	0.012 inch/0.30mm
D370S15F04	0.015 inch/0.38mm
D370S18F04	0.018 inch/0.46mm
D370S20F04	0.020 inch/0.51mm



P/N	D
D370S12F05	0.012 inch/0.30mm
D370S15F05	0.015 inch/0.38mm
D370S18F05	0.018 inch/0.46mm
D370S20F05	0.020 inch/0.51mm



P/N	D
D370S12F06	0.012 inch/0.30mm
D370S15F06	0.015 inch/0.38mm
D370S18F06	0.018 inch/0.46mm
D370S20F06	0.020 inch/0.51mm



P/N	D
D370S12F07	0.012 inch/0.30mm
D370S15F07	0.015 inch/0.38mm
D370S18F07	0.018 inch/0.46mm
D370S20F07	0.020 inch/0.51mm



SYNERGY TELECOM (P) LTD.


13-15, RPS Flats, E-Block, Vileca Puri, New Delhi - 110 018 (INDIA)
 Phone: +91-11-29533349 Fax: +91-11-29531435 Mobile: +91-9810138894
 Email: pradeep@rfconnectorhouse.com, MSN: pradeepagrowal@synergy@hotmail.com
 PRINCIPAL SITE: <http://www.vlincom.info> Skype Account: pradeepag
 My trademanager ID: synergytelecom www.rfconnectors.info

pdfMachine


A pdf writer that produces quality PDF files with ease!

Produce quality PDF files in seconds and preserve the integrity of your original documents. Compatible across nearly all Windows platforms, if you can print from a windows application you can use pdfMachine.


Get yours now!



P/N	D
D371S12F01	0.012inch/0.30mm
D371S15F01	0.015inch/0.38mm
D371S18F01	0.018inch/0.46mm
D371S20F01	0.020inch/0.51mm



P/N	D
D371S12F02	0.012inch/0.30mm
D371S15F02	0.015inch/0.38mm
D371S18F02	0.018inch/0.46mm
D371S20F02	0.020inch/0.51mm



P/N	D
D371S12F03	0.012inch/0.30mm
D371S15F03	0.015inch/0.38mm
D371S18F03	0.018inch/0.46mm
D371S20F03	0.020inch/0.51mm



SYNERGY TELECOM (P) LTD.



13-15, RPS Flats, E-Block, Vileca Park, New Delhi - 110 018 (INDIA)
 Phone: +91-11-28533349 Fax: +91-11-28531435 Mobile: +91-9810138694
 Email: pradeep@rfconnectorhouse.com, MSN: pradeepgrows@synergy@hotmail.com
 PRINCIPAL SITE: <http://www.uln.com/info> Skype Account: pradeepg
 My trademanager ID: synergytelecom www.rfconnectors.info

pdfMachine



A pdf writer that produces quality PDF files with ease!

Produce quality PDF files in seconds and preserve the integrity of your original documents. Compatible across nearly all Windows platforms, if you can print from a windows application you can use pdfMachine.



Get yours now!



P/N	D
D371S12F04	0.012inch/0.30mm
D371S15F04	0.015inch/0.38mm
D371S18F04	0.018inch/0.46mm
D371S20F04	0.020inch/0.51mm



P/N	D
D371S12F05	0.012inch/0.30mm
D371S15F05	0.015inch/0.38mm
D371S18F05	0.018inch/0.46mm
D371S20F05	0.020inch/0.51mm



P/N	D
D371S12F06	0.012inch/0.30mm
D371S15F06	0.015inch/0.38mm
D371S18F06	0.018inch/0.46mm
D371S20F06	0.020inch/0.51mm



SYNERGY TELECOM (P) LTD.

13-15, RPS Flat, E-Block, Vihari Park, New Delhi - 110 018 (INDIA)
 Phone: +91-11-28533349 Fax: +91-11-28531435 Mobile: +91-9810388954
 Email: pradeep@rfconnectorhouse.com, M5N, pradeepgrowsal@synergy@hotmail.com
 PRINCIPAL SITE: <http://www.vlinncom.info> Skype Account: pradeepag
 My trademanager ID: synergytelecom www.rfconnector.info


pdfMachine

A pdf writer that produces quality PDF files with ease!

Produce quality PDF files in seconds and preserve the integrity of your original documents. Compatible across nearly all Windows platforms, if you can print from a windows application you can use pdfMachine.


Get yours now!

2.4mm Series Bulkhead Flange Connectors




P/N	A	a	B	b
D371TLXF01	12.7	12.7	8.6	8.6
D371TLXF02	9.5	9.5	6.35	6.35
D371TLXF03	12.7	9.5	8.64	5.64

Notes: D/L Customized




P/N	A	B
D371TLXF04	15.8	12.2
D371TLXF05	14	10.2
D371TLXF06	12.7	8.9

Notes: D/L Customized



P/N	A	a	B	b
D370TLXF01	12.7	12.7	8.6	8.6
D370TLXF02	9.5	9.5	6.35	6.35
D370TLXF03	12.7	9.5	8.64	5.64

Notes: D/L Customized



P/N	A	B
D370TLXF04	15.8	12.2
D370TLXF05	14	10.2
D370TLXF06	12.7	8.9

Notes: D/L Customized



SYNERGY TELECOM (P) LTD.

13-15, RP5 Flats, E-Block, Vilem Puri, New Delhi - 110 018 (INDIA)
 Phone: +91-11-28533349 Fax: +91-11-28534435 Mobile: +91-9810138894
 Email: pradeep@rfconnectorhouse.com, M5N: pradeepgrows@synergy2@hotmail.com
 PRINCIPAL SITE: <http://www.vinncom.info> Skype Account: pradeepg
 My trademanager ID: synergytelecom www.rfconnectors.info

pdfMachine

A pdf writer that produces quality PDF files with ease!

Produce quality PDF files in seconds and preserve the integrity of your original documents. Compatible across nearly all Windows platforms, if you can print from a windows application you can use pdfMachine.

Get yours now!