




Crimper

ProKits offers high quality stripping, crimping and punch down tools to make your work more convenient and easier to accomplish. These tools will help to improve your professional skills. Choose tools from ProKits, a friend you can trust. Some models have ratcheted construction providing faster and easier operation.




CP-372series Pro-Crimper Series

OAL:210mm



Material	Weight (g) (Frame only without die)	Weight (g)	Individual packing
S45C	575±10	643±10	Blister Card

CP-236D/CP-336D Replacement Die Set



Follow models are available :

Individual packing :Blister Card

	Complete Tool with Die	Replacement Die Set	Hex size	Description
	CP-372			Frame Only
	CP-372A	CP-236DE	AWG 22 / 20 / 18 / 16 / 14 / 12 DIN 0.5/0.75/1.0/1.5/2.5/4.0mm ²	PIN TERMINAL INSULATED OR NON-INSULATED FERRULES
	CP-372B	CP-236DR	AWG 22-18 / 16-14 / 12-10 JIS 1.25 / 2.0 / 5.5mm ²	VINYL INSULATED W/O COPPER SLEEVE
	CP-372C	CP-236DN	AWG 20-18 / 16-14 / 12-10 / 8 DIN 1.5 / 2.5 / 6 / 10mm ² JIS 1.25 / 2.0 / 5.5 / 8mm ²	NON-INSULATED TERMINAL
	CP-372D	CP-236DF	AWG 22-18 / 16-14	INSULATED FLAG
	CP-372E	CP-236DF1	AWG 22-18 / 16-14	UNINSULATED FLAG
	CP-372F	CP-236DC	AWG 20-18/16-14/ 12-10	INTER-LOCKING & NON-INSULATED
	CP-372G	CP-236DM5	MOLEX 8P8C/RJ45 PLUG & CABLE O/D AROUND 5.2Ø	
	CP-372H	CP-236DM6	MOLEX 8P8C/RJ45 PLUG & CABLE O/D AROUND 5.8Ø	
	CP-372I	CP-236DQ	HC-002-8S 8P8C/RJ45 SHIELDED PLUGS (HIROSE TYPE SHORT BODY)	
	CP-372J	CP-236DQ1	HIROSE 8P8C/RJ45 SHIELDED PLUGS (HIROSE TYPE)	
	CP-372K	CP-336DJ	.042",.068",.078",.128", .151",.178" (1.07/1.72/1.98/ 3.25/3.84/4.52mm)	RG 174,179 Belden 8218 Fiber Optic

	Complete Tool	Replacement Die Set	Hex size	Description
	CP-372L	CP-336DK4	.100",.128",.190",.213" (2.54/3.25/4.83/5.41mm)	RG 58,174
	CP-372M	CP-336DV	.043",.069",.100",.128", .151",.213" (1.09/1.75/2.54/3.25/3.84/5.41mm)	SMA,SMB, SMC,MCX
	CP-372N	CP-336DG	.043",.068",.100",.137", .213",.255" (1.09/1.72/2.54/3.48/5.41/6.48mm)	RG 58,59,62,174 Fiber Optic
	CP-372O	CP-336DA4	.255",.187",.068",.213" (6.48/4.75/1.72/5.41mm)	RG 58,59,62,174
	CP-372P	CP-336DA	.256",.068",.213" (6.50 / 1.72 / 5.41mm)	RG 58,59,62
	CP-372Q	CP-336DI	.255",.213",.093",.068", 0.315"(6.48/5.41/2.36/ 1.72/7.009mm)	RG 58,59,6,174
	CP-372R	CP-336DC	.256",.319",.068",.213" (6.50/8.10/1.72/5.41mm)	RG 58,59,62,6
	CP-372S	CP-336DP1	.255",.213",.100",.068", .324"(6.48/5.41/2.54/ 1.72/8.23mm)	RG 58,59,62,6
	CP-372T	CP-336DH1	.255",.320",.350" (6.48/8.13/8.90mm)	CATV F Connectors RG 59,6
	CP-372U	CP-336DC1	.068",.216",.324",.360" (1.72/5.49/8.23/ 9.14mm)	F-59,62,6
	CP-372V	CP-336DK5	.080",.100",.429" (2.03/2.54/10.90mm)	RG 11,174
	CP-372W	CP-336DY1	.069",.218" (1.75/5.54mm)	RG 58 OVAL TYPE




1PK-3003D Series

OAL:260mm

- 40-50% lower crimp force
- Decreases work-related injuries.
- Increases productivity.
- Superior mechanical gain.
- Interchangeable die sets for wide range of applications.

TAIWAN PATENT:118629
GERMANY PATENT:29619451.4

Material	Weight (g) (Frame only without die)	Weight (g)	Individual packing
S45C	638±10g	700±10	Blister Card



Following models are available :

Completed set with die	Replacement die set	Description & application	Following models are available
1PK-3003F		Supercrimp crimp tool frame (Frame only without die)	
	1PK-3003D1	22-10 AWG (0.325mm ² -5.261mm ²).	Insulated terminals / color coded nests
	1PK-3003D2	22-12 AWG (0.325mm ² -3.31mm ²).	Non insulated Open Barrel Connectors, Commercial Type
	1PK-3003D3	Hex. 0.305, 0.068, 0.228	Cambridge CP-88, CP-89 BNC /TNC coax connectors with RG-58, RG-59/62 AU cables
	1PK-3003D4	Round 0.195	AMP Optimate Fiber-Optic SMA or SFR type connectors
	1PK-3003D5	Hex 0.213, 0.178, 0.068, 0.042	RG-58, RG-174 and RG-8218 for both 50 and 75 ohm cables
	1PK-3003D6	Hex. 0.429, 0.100, 0.080	N-Series and RG-8/11 Connectors
	1PK-3003D7	Hex 0.178, 0.128, 0.068	RG-174, Mini 59 BNC/TNC Connectors
	1PK-3003D8	Hex 0.324, 0.178, 0.068	RG-174, Belden-Type RG-8281 cables
	1PK-3003D9	Hex 0.213, 0.190, 0.068, 0.042	Plenum and Teflon Cables RG-58 and 59
	1PK-3003D10	Hex 0.350, 0.320, 0.255	RG-59, RG-6, RG-8281, F-type CATV Connectors
	1PK-3003D11		RJ-45, eight-position keyed or non-keyed modular plugs (excluding AMP)
	1PK-3003D12		RJ-11 two, four and six-position modular plugs

Individual packing :Blister Card

Completed set with die	Replacement die set	Description & application	Following models are available
	1PK-3003D13	RJ-11 DEC MMJ six-position modular plugs with an offset release tab	
	1PK-3003D14	AMP RJ-45 eight-position modular plugs/Primary strain relief crimp bar is located further back on die/modular plugs.	RG-58, RG-59/62, BNC/TNC Coax connectors
	1PK-3003D15	Hex. 0.255, 0.213, 0.068	
	1PK-3003D16	RJ-22 two and four-position handset modular plugs	
	1PK-3003D17	Usable for RJ-45, 10 position modular plugs	
	1PK-3003D17-MA	Hirose RJ-48, 8 position modular plugs	
	1PK-3003D18	22-10 AWG (0.325mm ² -5.261mm ²)	Usable for cord end terminals
	1PK-3003D19	22-8 AWG 0.325mm ² -8.367mm ²	Usable for non insulated terminals 22-8 AWG
	1PK-3003D20	Hex. 0.151 (3.84mm) 0.178(4.52mm) 0.213(5.41mm)	Usable for Fiber-Optic SMA, SMB or SFR connectors
	1PK-3003D21	16-26AWG (0.128mm 2-1.31mm ²)	Usable for miniature insulated rings & splices
	1PK-3003D22	0.218(5.54mm) 0.049(1.24mm)	Usable for AMP RG-58 dual crimp BNC/TNC coax connectors "O",

6PK-230C

Inter-locking And Non-Insulated Terminal Crimping Tool

OAL:220mm

Material	HRC	Handle	Application	Weight (g)	Individual packing
Frame S45C DIE: AISI4140	45±3°	Green: PP Black: T.P.R	AWG: 10-12,14-16,18-20	520±5	Blister Card



6PK-301N

Non-Insulated Terminal Crimping Tool

OAL:220mm

Material	HRC	Handle	Application	Weight (g)	Individual packing
Frame S45C DIE: AISI4140	45±3°	Green: PP Black: T.P.R	AWG: 8,10-12,14-16,18-20 MM: 10, 6, 2.5, 1.5(DIN) 8.5, 5.2, 1.25(JIS)	520±5	Blister Card



6PK-301H

Insulated Terminal Crimping Tool

OAL:220mm

Material	HRC	Handle	Application	Weight (g)	Individual packing
Frame S45C DIE: AISI4140	45±3°	Green: PP Black: T.P.R	AWG: 10-12,14-16,18-22 MM: 4-6, 1.5-2.5, 0.5-1.0 (DIN)	520±5	Blister Card



6PK-301S

Pin Terminal Crimping Tool

OAL:220mm

Model No.	Material	HRC	Handle	Application	Weight (g)	Individual packing
6PK-301S	Frame S45C DIE: AISI4140	45±3°	Green: PP Black: T.P.R	AWG: 6, 8, 10 MM: 16, 10, 6 (DIN)	530±5	Blister Card



6PK-301E

Pin Terminal Crimping Tool

OAL:220mm

Model No.	Material	HRC	Handle	Application	Weight (g)	Individual packing
6PK-301E	Frame S45C DIE: AISI4140	45±3°	Green: PP Black: T.P.R	AWG: 22,20,18,16,14,12 MM: 0.5, 0.75, 1, 1.5, 2.5, 4(DIN)	530±5	Blister Card





6PK-301R

Vinyl Insulated Push On Terminal
W/O Copper Sleeve Crimping Tool

OAL:220mm

Material	HRC	Handle	Application	Weight (g)	Individual packing
Frame S45C DIE: AISI4140	45±3°	Green: PP Black: T.P.R	AWG: 10-12,14-16,18-20 MM": 5.5, 2, 1.25(JIS)	515±5	Blister Card




6PK-301U

Non-Insulated Open Barrel
Connectors & D-SUB V.35 Crimping Tool

OAL:220mm

Material	HRC	Handle	Application	Weight (g)	Individual packing
frame S45C DIE: AISI4140	45±3°	Green: PP Black: T.P.R	AWG: 14-22	515±5	Blister Card



6PK-230PA

Coax Connectors Crimping Tool

OAL:220mm

Material	HRC	Handle	Application	Weight (g)	Individual packing
Frame S45C DIE: AISI4140	45±3°	Green: PP Black: T.P.R	For crimping RG type cable in mm .255 6.48 .213 5.4 .10 2.5 .068 1.72 .324 8.22 55, 58, 59, 5, 6, 21, 141, 142, 143, 210, 212, 222, 223, 303, 304, 400, Belden: 8279, 8281, 9231 & 9141	530±5	Blister Card



8PK-301F1/8PK-301F2/8PK-301J

Fiber Optic Crimping Tool

OAL:220mm

Model No.	Material	HRC	Handle	Application	Weight (g)	Individual packing
8PK-301F1	Frame S45C DIE: AISI4140	45±3°	Green: PP Black: T.P.R	.042", .068", .133" .162", .195"(oval type)	520	Blister Card
8PK-301F2				.042", .068", .151" .178", .213" (Hex)		
8PK-301J				.042", .068", .078" .128", .151", .178"(Hex) (1.07/1.72/1.98/3.25/ 3.84/4.52mm) RG174, 179, Belden8218 Fiber Optic		



8PK-301A/8PK-301C

Coax Crimping Tool

OAL:220mm

Model No.	Material	HRC	Handle	Application	Weight (g)	Individual packing
8PK-301A	Frame S45C DIE: AISI4140	45±3°	Green: PP Black: T.P.R	.256", .068", .213"(Hex) 6.50, 1.72, 5.41mm RG58, 59, 62	520	Blister Card
8PK-301C				.256", .319", .068", .213"(Hex) 6.50, 8.10, 1.72, 5.41mm RG58, 59, 62, 6		



8PK-200/8PK-200R

Professional Modular
Crimps Strips & Cuts Tool

OAL: 205mm

- Straight motion and precise crimping
- All-in-1 cut,strip and crimps all kinds of modular plugs



Model No.	Material	HRC	Handle	Application	Replacement blade model No.	Weight (g)	Individual packing
8PK-200	S45C	45±3	Blue: T.P.R Orange: PP	10P10C, AMP8P8C/RJ45, 6P6C/RJ12, 6P4C/RJ11, 4P4C&4P2C Plugs DEC/Off set plug-6P6C	5PK-376K- BLADE (6Pcs/pack)	530±5	Blister Card
8PK-200R (Ratchet)						560±5	

8PK-376/8PK-376KN

Professional Modular
Crimps Strips & Cuts Tool

OAL: 205mm

- Straight motion and precise crimping
- All-in-1 cut,strip and crimps all kinds of modular plugs



Model No.	Material	HRC	Handle	Application	Replacement blade model No.	Weight (g)	Individual packing
8PK-376	S45C	45±3	Blue: T.P.R Orange: PP	8P8C/RJ45, 6P6C/RJ12, 6P4C/RJ11, 4P4C&4P2C Plugs DEC/Off set plug-6P6C	5PK-376K- BLADE (6Pcs/pack)	530±5	Blister Card
8PK-376K (Ratchet)						560±5	
8PK-376KN	AISI 1045		PP			545	




8PK-200



8PK-200R
W/Ratchet



8PK-376



8PK-376K
W/Ratchet




8PK-376KN

Economic
Type



CP-376UR/CP-376VR


Modular Crimp Tool-Standard



Model No.	Material	HRC	Handle	Application	Crimping Section	Cover Plate	Replacement blade model No.	Weight (g)	Individual Packing
CP-376UR	S45C	45±3	Green: PP Black: TPR	8P	Plastic	Black Oxide	5PK-376U-Blade (6Pcs/Pack)	360	Blister Card
CP-376VR					Zinc-Aluminum Alloy	Chrome Plating		400	

CP-376TR

Modular Crimp Tool-Standard




Material	HRC	Handle	Application	Replacement blade model No.	Weight (g)	Individual Packing
S45C	45±3	Green:PP Black:TPR	4P/6P/8P	5PK-376C-Blade (6Pcs/Pack)	330	Blister Card


808-376H/808-376I

Modular Crimping Tool

OAL: 190mm



Model No.	Material	HRC	Handle	Application	Replacement blade model No.	Weight (g)	Individual packing
808-376H	Low carbon steel	HR30N 55-65	PVC	8P8C, 6P6C	5PK-376C-BLADE (6Pcs/pack)	300±5	Blister Card
808-376I (Ratchet)				6P4C, 6P2C,		330±5	



808-376H

808-376E/808-376EN/8PK-376ER/808-376M

Modular Crimping Tool



Model No.	Material	HRC	Handle	Application	Replacement blade model No.	Weight (g)	Individual packing
808-376E	S45C	45°C±3	PVC	RJ45/18P/ RJ11/6P	508-376E-B (2Pcs/pack)	360±5	Blister Card
808-376EN	AISI1045	45°C±3	PP			335±5	
8PK-376ER	S45C	45°C±3	PVC	RJ45/18P/ RJ11/6P Ratchet type	508-376ER-B (2Pcs/pack)	520±5	
808-376M	S45C	45°C±3	PVC	4P/6P/8P (RJ45, RJ22, RJ11, RJ12)		530±5	



8PK-CT012

4/6/8P Telcom Crimp Tool

OAL: 225mm

Material	HRC	Handle	Application	Weight (g)	Individual packing
S45C	45°±3°	PP	For 6, 8poles modular connector (RJ45, RJ22, RJ11,RJ12)	390±5	Blister Card



8PK-CT013

6/8P Telcom Crimp Tool

OAL: 210mm

Material	HRC	Handle	Application	Weight (g)	Individual packing
S45C	45°±3°	PP	For 6, 8poles modular connector (RJ45, RJ11,RJ12)	440±5	Blister Card






8PK-376P

Modular Crimping Tool


OAL: 230mm



Material	HRC	Handle	Application	Replacement blade model No.	Weight (g)	Individual packing
S45C	45±3°	PVC	6P/8P	508-376E-B (2Pcs/pack)	300±5	Blister Card

808-376A/808-376B/808-376C/CP-376C

Modular Crimping Tool




Model No.	Material	Hardness	Handle	Application	Replacement blade model No.	Weight (g)	Individual packing	OAL
808-376A	Low carbon steel	HR30N 55-65	PVC	4P4C, 4P2C	5PK-376A-BLA DE(6Pcs/Pack)	255±5	Blister Card	190
808-376B				6P6C, 6P4C, 6P2C	5PK-376A-BLA DE(6Pcs/Pack)	255±5		190
808-376C				8P8C	5PK-376A-BLA DE(6Pcs/Pack)	305±5		200

8PK-376FN

Pro-Crimper Modular Tool


Material	Application	Replacement blade model No.	Weight (g)	Individual packing
Nylon+Fiber	4P/6P/8P (RJ45, RJ22, RJ11, RJ12)	508-376E-B (2Pcs/Pack)	260±5	Blister Card



CP-373

Pro-Crimper Modular Tool

Material	Application	Replacement blade model No.	Weight (g)	Individual packing
ABS+ carbon steel	4P/6P/8P (RJ45, RJ22, RJ11, RJ12)	5PK-376C-Blade (6Pcs/Pack)	230±5	Blister Card



8PK-312N

Coax Crimping Tool

OAL: 240mm

Material	HRC	Handle	Application	Weight (g)	Individual packing
S45C DIE: AISI4140	45±3°	PP	1.72, 2.5, 5.4, 6.48, 8.2(mm) .068", .10", .213", .255", .324"(inch)	545±5	Blister Card



8PK-106N/8PK-106D

Fiber Optic Crimping Tool

OAL: 240mm

Model No.	Material	HRC	Handle	Application	Weight (g)	Individual packing
8PK-106N	S45C DIE: AISI4140	45±3°	PP	.133", .151", .122", .188"(Hex)	695	Blister Card
8PK-106D				.255", .213", .068"(Hex) 6.48/5.40/1.72mm RG58, 59, 62		



608-384N

D-Sub Connector Crimping Tool

OAL: 240mm

Material	HRC	Handle	Application	Weight (g)	Individual packing
AISI1050 DIE: AISI4140	45±3°	PP	AWG: 24-30, 18-22 MM: 0.9-0.35	405±5	Blister Card



6PK-214

For crimping IDC-type connectors

OAL: 240mm

Material	HRC	Handle	Application	Weight (g)	Individual packing
Low carbon steel	40±3°	PP	6-27.5mm IDC-type connectors	520	Blister Card



PK-3019N

Professional Waterproof Connector Crimping Kit

Features:

- Combination, All-in-One Crimp Tool crimps RCA, RG-6, BNC, (and whatever others) connectors in one tool.
- Interchangeable crimp heads fit into adjustable crimping jaws and store in handle when not in use.
- Universal Coax Stripping tool - 2 Blade Model
- 4 each of the following type connectors
List connector types
- Sleek Blow-Molded, foam-lined Carrying Case

Contents	Weight (g)	Individual packing
Professional water-proof connector crimping tool (Interchangeable & Adjustable)	1850	Color label shrink packing
Rotary coaxial cable stripper		
"F" Water-proof connector 5C (QUAD)		
"F" Water-proof connector 5C (60.9%)		
"F" Water-proof connector 4C (60.9%)		
"BNC" Water-proof connector 4C		
"BNC" Water-proof connector 5C		
"RCA" Water-proof connector 4C (WHITE)		
"RCA" Water-proof connector 4C (RED)		
"RCA" Water-proof connector 4C (YELLOW)		
Blowing case (340X250X65mm)		



US. Pat. No.: 6241553



6PK-508

Waterproof Connectors Crimping Tool OAL:215mm

Before crimp



After crimp



Material	HRC	Handle	Application	Weight (g)	Individual packing
S45C	45°	PVC	RG-59(4C) RG-6(5C) F Connector	490±5	Blister Card



CP-3001N

3 In 1 Waterproof Connectors Crimping Tool OAL:232mm



Adjustable crimp range
(Max 10mm)



Carry &
storage function



Wire cutting
(for copper only)



Quickly change dies
with Ratchet mechanism

Material	HRC	Handle	Application	Weight (g)	Individual packing
S45C	45±3	PVC	RG-58, 59, 6 (3C, 4C, 5C) "F", "BNC", "RCA"	695	Blister Card



CP-807

Waterproof Connector Crimping Tool OAL:193mm

- For F,BNG&RCA compression Cconnectors
- With adjustment for crimping different lenght of connectors.



Quick change
for RCA BNC, F
Type crimp head



Crimping



Material	HRC	Handle	Application	Weight (g)	Individual packing
Low carbon steel	HR30N 55-65°	PVC	RG-59, 6(4C, 5C) "F", "BNC", "RCA"	331	Blister Card



CP-808

Waterproof Connector Crimping Tool OAL:195mm

- For F,BNG&RCA compression connectors.
- With adjustment for crimping different lenght of connectors.
- With ratchet mechanism



Material	HRC	Handle	Application	Weight (g)	Individual packing
Middle carbon steel	45±3	P.P.	RG-58, 59, 6 (3C, 4C, 5C) "F", "BNC", "RCA"	470	Blister Card



CP-302

Terminal Crimp Kit

- Ratcheted Crimper
- Ring insulated Terminal (22-16 AWG & Stud size: #6) X 50 pcs
- Ring insulated Terminal (16-14 AWG & Stud size : #8) X 40 pcs
- Ring insulated Terminal (12-10 AWG & Stud size : #10)X 20 pcs
- Butt Splice insulated (22-16 AWG) x 30 pcs
- Butt Splice insulated (16-14 AWG) x 20 pcs
- Butt Splice insulated (12-10 AWG) x 15 pcs



Case size(mm)	Weight(g)	Individual Packing
313x150x42.8	965	Color Label Shrink

6PK-3010

Coaxial Crimping Tool Kit

Contents	Weight (g)	Individual packing
• Crimper tool w/Die .068", .213", .256" (Hex) • Rotary coaxial cable stripper • Round cable cutter • Carry case (305x210x58mm)	1195	Color label shrink packing



608-312ST

Coaxial Crimping Tool Kit

Contents	Weight (g)	Individual packing
• Crimper tool • 3/32" Hex key • DIE: .042"(SQ), .068", .128", .151", .178", .213" (Hex) .042"(SQ), .068", .100", .178", .213", .255" (Hex) .042"(SQ), .068", .100", .255", .324" (Hex) .042"(SQ), .068", .080", .100", .429" (Hex) • Carry case (305x210x58mm)	1245	Color label shrink packing



6PK-330K

Coaxial Crimping Tool Kit

Contents	Weight (g)	Individual packing
• Crimper tool • Rotary coaxial cable stripper • Round cable cutter • Screwdriver #1x125 • DIE: .255", .213", .187", .068" (Hex) .319", .256", .213", .068" (Hex) .043" (SQ), .100", .213", .068", .137", .255" (Hex) .042" (SQ), .078", .151", .068", .128", .178" (Hex) .10", .128", .429" • Carry case (305x210x58mm)	1540	Color label shrink packing





CRIMPER

CRIMPER




608-400

4 Way Indent Crimping Tool

OAL: 162mm

This economical crimp tool delivers the same type of crimp the more expensive MIL-Spec tools provide. Built-in locator assures accurate positioning of the pin and socket prior to the crimping action. Full cycle ratchet insures a complete and perfect crimp each and every time. Cushioned grips. Compact 6 1/2" size.

Weight(g)	Individual Packing
261	Blister Card



4 Way to Crimping
Application:
20-26 AWG(.519mm²-128mm²)
RS232 D-Sub Round Barrel
Contacts, pins or Sockets




1PK-CT006

Splices & Crimp Tool

OAL: 150mm

Splice & crimp tool The UR connectors handle 19 to 26 AWG solid copper wire. Three-port construction is for general splicing or tapping. UY connectors handle 22 to 26 AWG solid copper wire. Two-port construction designed for straight splicing. UG connectors handle 19 to 26 AWG solid copper wire. Allows direct bridging onto an existing wire without pulling slack or interrupting downstream service. Crimping tool has stepped jaws that provide parallel crimping action at the moment of connection. Connectors sold in packages of 1000pc.

Model No.	Description	Weight(g)	Individual Packing
1PK-CT006	Crimping tool	165	Blister card



8PK-CT005

Precision Crimping Tool W/Terminal

OAL: 160mm

Material	HRC	Including terminal	Application	Weight(g)	Individual Packing
SC45C	45±3	0.5x6mm: 40pcs 0.75x6mm: 40pcs 1.0x6mm: 30pcs 1.5x8mm: 20pcs 2.5x7mm: 20pcs	mm ² :0.25, 0.34, 0.5, 0.75, 1.0, 1.5, 2.5	260	Blister Card




8PK-033

Crimping Tool

OAL: 200mm

Material	Hardness	Application			Weight(g)	Individual Packing
		Strip	Bolt cutter	Crimp		
SAE1008	HV450 ~800	0.75, 1.0, 1.5, 2.5, 4.0, 6.0mm	M2.6, M3, M3.5, M4, M5	1.5, 2.5, 6mm ²	195	Blister Card




8PK-313A/8PK-313B

Crimping Tool

OAL: 235mm

Model No.	Material	Hardness	Application			Weight(g)	Individual Packing
			Strip	Bolt cutter	Crimp		
8PK-313A (Inch)	SAE1008	HV450 ~800	AWG: 10, 12, 14, 16, 18, 20-22	4-40, 6-32, 10-24, 10-32	Insulation: 16-14, 12-10 Non-Insulation: 22-18, 16-14, 12-10 AWG	220	Blister Card
8PK-313B (Metric)			mm ² : 6.0, 4.0, 2.5, 1.5, 1.0, 0.75	M3, M3.5, M4, M5	Insulation: 1.5, 2.5, 6mm ² Non-Insulation: 1.5, 2.5, 4-6mm ²	220	




8PK-CT009/8PK-CT009A

Multi-Purpose Crimping Tool

OAL: 210mm

Model No.	Material	HRC	Application			Weight(g)	Individual Packing
			Strip	Bolt cutter	Crimp		
8PK-CT009 (Metric)	S45C	45±3	2.6, 2.0, 1.6, 1.3, 1.0, 0.8, 0.6mm	M2.6, M3, M3.5, M4, M5	2.6~1.3mm 1.0~0.6mm	220	Blister Card
8PK-CT009A (Inch)			10, 12, 14, 16, 18, 20, 22, AWG	4-40, 5-40, 6-32, 8-32, 10-32, 10-24	10~16AWG 18~22AWG	220	



8PK-CT015

Ratchet Crimping Tool(260mm)
For Non-Insulated Terminal

OAL: 260mm

Material	Die	Application	Weight(g)	Individual Packing
Frame S45C	SK-5	AWG: 12-10, 8, 6 JIS mm ² : 1.25, 2.0, 5.5, 8.0 DIN mm ² : 1.5, 2.5, 6, 10	530	Blister Card



8PK-CT016

Ratchet Crimping Tool(340mm)
For Non-Insulated Terminal

OAL: 340mm

Material	Die	Application	Weight(g)	Individual Packing
Frame S45C	SK-5	AWG: 12-10, 8, 6, 4 JIS mm ² : 5.5, 8.0, 14, 22 DIN mm ² : 4-6, 10, 16, 25	830	Blister Card





8PK-CT017

Ratchet Crimping Tool(270mm)
For Insulated Terminal

Material	Die	Application	Weight(g)	Individual Packing
Frame S45C	SK-5	AWG: 16-14, 12-10 JIS mm ² : 1.5-2, 5.5 DIN mm ² : 1.5-2.5, 4-6	560	Blister Card



OAL: 270mm



8PK-CT120

Heavy Duty Crimping Tool

For terminating cable lugs from 10mm²-95mm² with non-ratchet screw adjustment design for aluminum(8AWG TO 4/0)and copper (8AWG TO 250MCM)

Material.	Crimping capability	Weight(g)	Individual Packing
Body: FCD45 Blade: SK5	AWG/MCM: #4, #2, #1/0, #2/0, #3/0, #4/0 JIS(mm ²): 8, 14, 22, 38, 60, 70, 80 DIN(mm ²): 10, 16, 25, 35, 50, 70, 95, 120	3170	Inner box + color label

OAL: 570mm



8PK-CT150

Heavy Duty Crimping Tool

- For terminating cable lugs from 10mm²-120mm² with non-ratchet screw adjustment design for aluminum (8AWG TO 4/0) and copper (8AWG TO 300MCM)
- This crimping tool no replacement cutter

Material.	Hardness	Application	Weight(g)	Individual Packing
Body: Aluminum alloy Cutter: SCM 4	Cutter: HRC 55 $\pm$ 3	AWG/MCM #4, #2, #1/0, #2/0, #3/0, #4/0 JIS(mm ²) 22, 38, 60, 80, 100, 120, 150 DIN(mm ²) 10, 16, 25, 35, 50, 70, 95, 120, 150	4500	Inner box + color label

OAL: 670mm



Strippers


ProKits offers high quality stripping, crimping and punch down tools to make your work more convenient and easier to accomplish. These tools will help to improve your professional skills. Choose tools from ProKits, a friend you can trust. Some models have ratcheted construction providing faster and easier operation.



1PK-3001E/1PK-3002E
Precision Wire Stripper




OAL: 156



Model	Material	HRC	Application(AWG)	Application(MM)	Weight (g)	Individual Packing
1PK-3001E	SK7	50 $\pm$ 3	30,28,26,24,22,20	0.2,0.3,0.4,0.5,0.6,0.8	120	Blister Card
1PK-3002E			20,18,16,14,12,10	0.8,1.0,1.3,1.6,2.0,2.6		

CP-303/CP-304/CP-305/CP-306
Precision Wire Stripper


OAL: 156



Model	Material	HRC	Application(AWG)	Application(MM)	Weight (g)	Individual Packing
CP-303	SK7	50 $\pm$ 3	16,14,12,10,8		120	Blister Card
CP-304			26,24,22,20,18,16	0.4,0.5,0.6,0.8,1.0,1.3		
CP-305			30,30,30,28,28,28	0.2,0.2,0.2,0.3,0.3,0.3		
CP-306			24,22,20,18,16,14,12	0.5,0.65,0.8,1.3,1.6,2.0		

8PK-3001D/8PK-3002D
Precision Wire Stripper


OAL:156



Model	Material	HRC	Application(AWG)	Application(MM)	Weight (g)	Individual Packing
8PK-3001D	SK7	50 $\pm$ 3	30,28,26,24,22,20	0.2,0.3,0.4,0.5,0.6,0.8	120	Blister Card
8PK-3002D			20,18,16,14,12,10	0.8,1.0,1.3,1.6,2.0,2.6		

8PK-208D
Wire Strippe/Cutter

OAL:140



Material	HRC	Application	Weight (g)	Individual Packing
SK7	50 $\pm$ 3	Cutting Capacity: ϕ 1.3/16AWG	94	Blister Card
		Wire Stripper: ϕ 0.4/26AWG		